

PROTECTION SYSTEMS

Steckerkappe Hirschmann

Passgenaue Schutzkappe für Stecker des Herstellers Hirschmann


Protection cap Hirschmann

Custom-fit protective cap suitable for connectors manufactured by Hirschmann




- hohe mechanische und chemische Belastbarkeit
- beidseitige Montage möglich
- Schutz von offenen Leitungen sowie Kontaktklammern
- Verschluss mehrfach zerstörungsfrei lösbar
- Befestigungsmöglichkeit für Kabelbinder
- Einfache Montage dank Vorverrastung für Wellrohre
- selbstverlöschend nach UL 94 HB/V-2 FMVSS
- high mechanical strength and chemical resistance
- installation on both sides possible
- protection of open wires and contact clips
- fastening can be opened several times without causing damage
- mounting possibility for cable ties
- easy installation thanks to corrugated tubing being snapped in beforehand
- self-extinguishing according to UL 94 HB/V-2 FMVSS

HPS40

Steckerkappe Protection cap	Material Material	Art. Nr. Cat. no.	Winkel Angle	Orientierung Orientation	Anzahl der Pole Number of poles	Reihen Series	NW Wellrohr NW corrugated tubing
Hirschmann HPS40 	PA66	492 90 924	90°	längs lengthwise	02	1-reihig 1-row	13/18


Sealstar (MLK 1.2)

Steckerkappe Protection cap	Material Material	Art. Nr. Cat. no.	Winkel Angle	Orientierung Orientation	Anzahl der Pole Number of poles	Reihen Series	NW Wellrohr NW corrugated tubing
Hirschmann Sealstar (MLK 1.2) 	PA66	492 90 023	180°	gerade straight	02	1-reihig 1-row	5,5
		492 90 026	90°	längs lengthwise	03	1-reihig 1-row	4,5
		492 90 045	90°	quer crosswise	04	1-reihig 1-row	7,5
		492 90 046	90°	quer crosswise	02	1-reihig 1-row	4,5
		492 90 047	90°	quer crosswise	03	1-reihig 1-row	7,5

Steckerkappe Hirschmann

Protection cap Hirschmann


Sealstar (MLK 1.2)

Steckerkappe Protection cap	Material Material	Art. Nr. Cat. no.	Winkel Angle	Orientierung Orientation	Anzahl der Pole Number of poles	Reihen Series	NW Wellrohr NW corrugated tubing
Hirschmann Sealstar (MLK 1.2) 	PA66	492 90 048	90°	quer crosswise	05	1-reihig 1-row	7,5
	PA66	492 90 049	90°	längs lengthwise	03	1-reihig 1-row	7,5
	PA66	492 90 050	90°	längs lengthwise	04	1-reihig 1-row	7,5
	PA66	492 90 052	90°	längs lengthwise	16	2-reihig 2-row	13
	PA66	492 90 060	90°	längs lengthwise	05	1-reihig 1-row	7,5
	PA66	492 90 061	180°	gerade straight	04	1-reihig 1-row	7,5
	PA66	492 90 062	180°	gerade straight	03	1-reihig 1-row	7,5
	PA66	492 90 063	180°	gerade straight	03	1-reihig 1-row	4,5
	PA66	492 90 064	180°	gerade straight	02	1-reihig 1-row	4,5
	PA66	492 90 065	180°	gerade straight	05	1-reihig 1-row	7,5
	PA66	492 90 091	90°	längs lengthwise	02	1-reihig 1-row	4,5
	PA66	492 90 092	180°	gerade straight	08	1-reihig 1-row	10
	PA66	492 90 179	90°	quer crosswise	03	1-reihig 1-row	4,5
	PA66	492 90 180	90°	längs lengthwise	02	1-reihig 1-row	5,5
	PA66	492 90 325	90°	längs lengthwise	08	1-reihig 1-row	8,5
	PA46	492 90 449	90°	quer crosswise	05	1-reihig 1-row	7,5
	PA66	492 90 507	90°	längs lengthwise	08	2-reihig 2-row	10
	PA66	492 90 509	90°	quer crosswise	16	2-reihig 2-row	13
	PA66	492 90 535	90°	längs lengthwise	04	1-reihig 1-row	4,5
	PA66	492 90 741	90°	längs lengthwise	02	2-reihig 2-row	7,5
	PA66	492 90 767	90°	längs lengthwise	10	2-reihig 2-row	ID 5,4
	PA66	492 90 768	90°	längs lengthwise	10	2-reihig 2-row	8,5 FHW
	PA66	492 90 791	180°	gerade straight	02	1-reihig 1-row	besonders für 492 90 168 special for 492 90 168
	PA66	492 90 792	150°	längs lengthwise	02	1-reihig 1-row	besonders für 492 90 168 special for 492 90 168
	PA66	492 90 798	90°	längs lengthwise	06	1-reihig 1-row	7,5


Steckerkappe Hirschmann

Protection cap Hirschmann

Sealstar (MLK 1.2)

Steckerkappe Protection cap	Material Material	Art. Nr. Cat. no.	Winkel Angle	Orientierung Orientation	Anzahl der Pole Number of poles	Reihen Series	NW Wellrohr NW corrugated tubing
Hirschmann Sealstar (MLK 1.2) 	PA66	492 90 804	180°	gerade straight	02	1-reihig 1-row	4,5
	PA66	492 90 805	180°	gerade straight	06	1-reihig 1-row	7,5
	PA66	492 90 811	180°	gerade straight	04	1-reihig 1-row	besonders für 492 90 168 special for 492 90 168
	PA66	492 90 812	180°	gerade straight	03	1-reihig 1-row	besonders für 492 90 168 special for 492 90 168
	PA46	492 90 845	90°	quer crosswise	03	1-reihig 1-row	7,5
	PA46	492 90 847	90°	längs lengthwise	03	1-reihig 1-row	4,5
	PA46	492 90 851	180°	gerade straight	02	1-reihig 1-row	4,5
	PA46	492 90 853	180°	gerade straight	03	1-reihig 1-row	4,5
	PA66	492 90 867	180°	gerade straight	02	1-reihig 1-row	7,5
	PA66	492 90 868	90°	quer crosswise	02	1-reihig 1-row	7,5
	PA66	492 90 879	90°	längs lengthwise	10	2-reihig 2-row	8,5 FHW
	PA66	492 90 888	90°	quer crosswise	02	1-reihig 1-row	4,5
	PA46	492 90 890	90°	längs lengthwise	04	1-reihig 1-row	7,5

Sealstar 2.8 (SLK 2.8)

Steckerkappe Protection cap	Material Material	Art. Nr. Cat. no.	Winkel Angle	Orientierung Orientation	Anzahl der Pole Number of poles	Reihen Series	NW Wellrohr NW corrugated tubing
Hirschmann Sealstar 2.8 (SLK 2.8) 	PA46	492 90 377	180°	gerade straight	08	2-reihig 2-row	10